




Extra Heavy Duty Vertical Baler - V63-865

This baler can produce the following bale weights:

- Core Tubes - 1,300 lbs
- OCC - 1,400 lbs
- Aluminum Siding - 2296 lbs
- Radiators - 1587 lbs
- Stainless Steel Sheet - 2987 lbs

Our extra heavy-duty baler is designed for high capacity requirements, providing a compact force up to 150,000 lbs.



SPECIFICATIONS	
PERFORMANCE	
Nominal Bale Size	60" x 30" x 48"
Bale Weight	Up to 1400 lbs OCC
Average Cycle Time	35 Seconds
Loading Height	54"
Compact Force lbs.	150,000
Ejector System	Semi-Automatic

OPTION 1 HYDRAULIC/ELECTRICAL	
40HP Submersible Power Unit	4-10HP Motors*
Voltage 3 Phase (V = Volts) Full Load Amps Required (A = Amps) *Requirements are Per Motor	208V, 230V, 480V 30.8A, 28A, 14A
Pump GPM	47
Normal System Pressure PSI	3000
Cylinder Bore	8"
Cylinder Stroke	65"
Hydraulic Tank Capacity - Gallons	100

OPTION 2 HYDRAULIC/ELECTRICAL	
20HP Conventional Power Unit	20HP Motor
Voltage 3 Phase (V = Volts) Full Load Amps Required (A = Amps)	208V, 230V, 480V 52A, 47.6A, 23.8A
Pump (HP Limiting)	33 GPM (Pres. Comp.)
Normal System Pressure PSI	3000
Max. System Pressure PSI	3500
Cylinder Bore	8"
Cylinder Stroke	65"
Hydraulic Tank-Capacity Gallons	80

Includes:
Hydraulic Oil &
Starter Bundle of Wire

Due to continual product improvement BACE reserves the right to change specifications without notice. The information and pictures used in the document are for illustrative purposes only.

Printed on recycled paper

January 2012



