




**BACE**

# Self-Contained Compactors



- INNOVATIVE TECH
- INNOVATIVE EQUIPMENT
- INNOVATIVE RESULTS

BACE is the fastest-growing manufacturer in the world, widely recognized for the highest quality to deliver long life, superior reliability, optimal levels of safety, and the lowest total cost of ownership (TCO).

BACE is also the world's leading innovator of technology for the recycling and waste industry.

Our cloud-based IntelliBACE™ system for any Manufactures equipment facilitates management and measurement of corporate waste and recycling programs. It delivers unmatched accountability and transparency; and is proven to help organizations increase revenue while decreasing expenses.

## NATIONAL SERVICE



We coordinate with a network of designated service centers throughout the U.S.A. to ensure your access to factory-trained technicians. Our Service Managers work closely with these centers to meet your needs 24 hours a day, 365 days a year.

An Industry First: Total Transparency

# Baler And Compaction Ecosystem

IntelliBACE™ - Business Intelligence and Analytics Platform



## Here's how it works:

*BACE outfits any Manufacturer's baler or compactor with our patent-pending business intelligence and analytics platform, and you start getting the information and analysis on your equipment, service, parts and warranty data that you need to make beneficial decisions for your Waste and Recycling Program.*



## Self-Contained Compactor BACEics

1. Fire hose port
2. 3/8" understructure rails and 10 additional understructure supports
3. Peaked container roof
4. Removable access cover
5. Fully welded and leak tested
6. Neoprene "T" full door seal
7. Heavy duty triple cam door locking mechanism
8. Tri-hinge door assembly
9. Double end universal pickup
10. B-curved designed tailgate door design
11. 8" ground rollers
12. Increased height rear sump design

## Compactor Optional Features

- Advanced / full lights
- Auto timer start
- Oil heater
- Bio-metric safety start
- Poly wheels
- Ozone odor control
- Fabricated options
- Doghouse, hoppers, chute, etc.
- Sustainable, energy efficient power pak
- Higher compaction forces
- Leachate system
- Private label program (company logo and color)
- Motor coupling system eliminates direct drive and premature motor or pump failure

## Equipment Specifications

Additional hydraulic/electrical configurations are available.

Self-Contained Compactor - Model	SC20	SC25	SC30	SC35
Cubic Yards	2.0 (1.52m)	2.0 (1.52m)	2.0 (1.52m)	2.0 (1.52m)
Ram Face	30x60 (76x152cm)	30x60 (76x152cm)	30x60 (76x152cm)	30x60 (76x152cm)
Ram Penetration (in.)	6 (15cm)	6 (15cm)	6 (15cm)	6 (15 cm)
Cylinder Bore Stroke, Rod	(2) 4x32	(2) 4x32	(2) 4x32	(2) 4x32
Motor Horsepower (HP)	10	10	10	10
Pump GPM	10.5	10.5	10.5	10.5
Avg. Cycle Time (sec)	35	35	35	35
Approx. Compactor Shipping Weight (lb)	8250 (3,742kg)	9060 (4,110kg)	10,000 (4,536kg)	10,500 (4,763kg)
Clear Top Opening (in)	40x60 (101x152cm)	40x60 (101x152cm)	40x60 (101x152cm)	40x60 (101x152cm)
Discharge Opening (in)	37x60 (94x152cm)	37x60 (94x152cm)	37x60 (94x152cm)	37x60 (94x152cm)
Hydraulic Pressure PSI (Normal/Maximum)	1800/2200	1800/2200	1800/2200	1800/2200
Force Rating (lb) (Normal/Maximum)	45241/55294	45241/55294	45241/55294	45241/55294

## Equipment Value Added Features

- UL listed controls & totally 100% ETL approved
- All welds meet AWS requirements
- Fully jig & fixtured heavy duty structural steel design
- 3-D SolidWorks finite element analysis (FEA) stress analysis engineered units
- Factory tested & inspected (Quality Assurance Mgr./Team)
- Cellular mfg. process / lean manufacturing principals
- Full bale light on HD models
- NEMA 4 control box & safety interlock switches
- External motor starter reset button
- Operational safety and training video/manual
- Warning signs - meets/exceeds all ANSI & OSHA specifications
- Factory wired for easy installation

## IntelliPACT™ Option - Compactors

### Features/Benefits

- Available for ALL manufacturers Compactors
- Tracks exact weight of the Compactor contents - not pressure
- Notifies haulers when x % full, ready for pickup
- Reduces underweight tips
- Reduces overweight tips
- Compares waste trends by region and location
- Tracks tip fees by region and location
- Tracks usage for proactive preventative maintenance
- Service history at your finger tips
- Remaining warranty coverage available in real-time
- Data integration to corporate information systems

Please visit our website [www.BACECORP.com](http://www.BACECORP.com) or call us for more information

We approach our business with inviolable commitments to leading by example, to operational transparency, to unflagging integrity, to sustainable re-use, and to continually improving all aspects of our customer and environmental interactions.



# BACE

Learn more at [www.bacecorp.com](http://www.bacecorp.com)

Toll Free: (877) 506-BACE (2223) • Fax: (704) 394-2210  
322 West 32nd Street • Charlotte, NC 28206



*BACE equipment meets or exceeds ANSI standard Z245.5.*